

1. Hakuta R, Hamada T, Nakai Y, Isayama H, Kogure H, Mizuno S, Naminatsu T, Yagioka H, Togawa O, Matsubara S, Ito Y, Yamamoto N, Tsujino T, Koike K. Multicenter retrospective and comparative study of 5-minute versus 15-second endoscopic papillary balloon dilation for removal of bile duct stones. *Endosc Int Open*. 2017 Nov;5(11):E1027-E1034.
2. Tsujino T, Isayama H, Kogure H, Sato T, Nakai Y, Koike K. Endoscopic management of biliary strictures after living donor liver transplantation. *Clin J Gastroenterol*. 2017 Aug;10(4):297-311.
3. Huang JY, Samarasena JB, Tsujino T, Lee J, Hu KQ, McLaren CE, Chen WP, Chang KJ. EUS-guided portal pressure gradient measurement with a simple novel device: a human pilot study. *Gastrointest Endosc*. 2017 May;85(5):996-1001.
4. Tsujino T, Chang KJ. Cyst-Within-Cyst Found on EUS-Guided Cystoscopy of a Pancreatic Mucinous Cystic Neoplasia. *Am J Gastroenterol*. 2016 Aug;111(8):1089.
5. Tsujino T, Lu Y, Chang KJ. Treatment of post-EMR duodenal adenoma: a case of unusual recurrence and novel approach. *Gastrointest Endosc*. 2017 May;85(5):1101-1103.
6. Hamada T, Tsujino T, Isayama H, Ito Y, Nakata R, Ogata S, Makuuchi M, Koike K. Wire-guided exchange of an inside stent for complex biliary stricture after living donor liver transplantation. *Turk J Gastroenterol*. 2016 May;27(3):292-3.
7. Tsujino T, Lee JG, Chang KJ. Initial trimming followed by complete removal of an esophageal self-expandable metal stent for stent-related symptoms. *Endoscopy*. 2016;48 Suppl 1:E109-10.
8. Huang JY, Samarasena JB, Tsujino T, Chang KJ. EUS-guided portal pressure gradient measurement with a novel 25-gauge needle device versus standard transjugular approach: a comparison animal study. *Gastrointest Endosc*. 2016 Aug;84(2):358-62.
9. Ito Y, Nakai Y, Isayama H, Tsujino T, Hamada T, Umefune G, Akiyama D, Takagi K, Takamoto T, Hashimoto T, Nakata R, Koike K, Makuuchi

- M. Impact of Preoperative Biliary Drainage on Surgical Outcomes in Periampullary and Hilar Malignancy: A Single-Center Experience. *Surg Laparosc Endosc Percutan Tech.* 2016 Apr;26(2):150-5.
10. Tsujino T, Lee JG. Electrohydraulic lithotripsy for large bile duct stones under direct cholangioscopy using double-balloon enteroscopy. *Dig Endosc.* 2016 Jan;28(1):104.
  11. Nakai Y, Isayama H, Tsujino T, Hamada T, Kogure H, Takahara N, Mohri D, Matsubara S, Yamamoto N, Tada M, Koike K. Cholecystectomy after endoscopic papillary balloon dilation for bile duct stones reduced late biliary complications: a propensity score-based cohort analysis. *Surg Endosc.* 2016 Jul;30(7):3014-20.
  12. Tsujino T, Yan-Lin Huang J, Nakai Y, Samarasena JB, Lee JG, Chang KJ. In vivo identification of pancreatic cystic neoplasms with needle-based confocal laser endomicroscopy. *Best Pract Res Clin Gastroenterol.* 2015 Aug;29(4):601-10.
  13. Akiyama D, Hamada T, Isayama H, Nakai Y, Tsujino T, Umefune G, Takahara N, Mohri D, Kogure H, Matsubara S, Ito Y, Yamamoto N, Sasahira N, Tada M, Koike K. Superiority of 10-mm-wide balloon over 8-mm-wide balloon in papillary dilation for bile duct stones: A matched cohort study. *Saudi J Gastroenterol.* 2015 Jul-Aug;21(4):213-9.
  14. Shima Y, Isayama H, Ito Y, Hamada T, Nakai Y, Tsujino T, Nakata R, Koike K. Crisscross anchor-stents to prevent metal stent migration during endoscopic ultrasound-guided hepaticogastrostomy. *Endoscopy.* 2014;46 Suppl 1 UCTN:E563.
  15. Mizuno S, Nakai Y, Isayama H, Kawahata S, Saito T, Takagi K, Watanabe T, Uchino R, Hamada T, Miyabayashi K, Kogure H, Sasaki T, Yamamoto N, Sasahira N, Hirano K, Tsujino T, Ijichi H, Tateishi K, Tada M, Koike K. Smoking, family history of cancer, and diabetes mellitus are associated with the age of onset of pancreatic cancer in Japanese patients. *Pancreas.* 2014 Oct;43(7):1014-7.
  16. Hamada T, Isayama H, Nakai Y, Kogure H, Yamamoto N, Kawakubo K, Takahara N, Uchino R, Mizuno S, Sasaki T, Togawa O, Matsubara S, Ito Y, Hirano K, Tsujino T, Tada M, Koike K. Transmural biliary drainage

can be an alternative to transpapillary drainage in patients with an indwelling duodenal stent. *Dig Dis Sci.* 2014 Aug;59(8):1931-8.

17. Yamamoto N, Isayama H, Sasahira N, Tsujino T, Nakai Y, Miyabayashi K, Mizuno S, Kogure H, Sasaki T, Hirano K, Tada M, Koike K. Endoscopic minor papilla balloon dilation for the treatment of symptomatic pancreas divisum. *Pancreas.* 2014 Aug;43(6):927-30.
18. Hamada T, Nakai Y, Yasunaga H, Isayama H, Matsui H, Takahara N, Sasaki T, Takagi K, Watanabe T, Yagioka H, Kogure H, Arizumi T, Yamamoto N, Ito Y, Hirano K, Tsujino T, Tada M, Koike K. Prognostic nomogram for nonresectable pancreatic cancer treated with gemcitabine-based chemotherapy. *Br J Cancer.* 2014 Apr 15;110(8):1943-9.
19. Uchino R, Sasahira N, Isayama H, Tsujino T, Hirano K, Yagioka H, Hamada T, Takahara N, Miyabayashi K, Mizuno S, Mohri D, Sasaki T, Kogure H, Yamamoto N, Nakai Y, Tada M, Koike K. Detection of painless pancreatitis by computed tomography in patients with post-endoscopic retrograde cholangiopancreatography hyperamylasemia. *Pancreatology.* 2014 Jan-Feb;14(1):17-20.
20. Isayama H, Kawakubo K, Nakai Y, Inoue K, Gon C, Matsubara S, Kogure H, Ito Y, Tsujino T, Mizuno S, Hamada T, Uchino R, Miyabayashi K, Yamamoto K, Sasaki T, Yamamoto N, Hirano K, Sasahira N, Tada M, Koike K. A novel, fully covered laser-cut nitinol stent with antimigration properties for nonresectable distal malignant biliary obstruction: a multicenter feasibility study. *Gut Liver.* 2013 Nov;7(6):725-30.
21. Kogure H, Tsujino T, Isayama H, Takahara N, Uchino R, Hamada T, Miyabayashi K, Mizuno S, Mohri D, Yashima Y, Kawakubo K, Sasaki T, Yamamoto N, Nakai Y, Hirano K, Sasahira N, Tada M, Koike K. Short- and long-term outcomes of endoscopic papillary large balloon dilation with or without sphincterotomy for removal of large bile duct stones. *Scand J Gastroenterol.* 2014 Jan;49(1):121-8.
22. Uchino R, Isayama H, Tsujino T, Sasahira N, Ito Y, Matsubara S, Takahara N, Arizumi T, Toda N, Mohri D, Togawa O, Yagioka H,

- Yanagihara Y, Nakajima K, Akiyama D, Hamada T, Miyabayashi K, Mizuno S, Kawakubo K, Kogure H, Sasaki T, Yamamoto N, Nakai Y, Hirano K, Tada M, Koike K. Results of the Tokyo trial of prevention of post-ERCP pancreatitis with risperidone-2: a multicenter, randomized, placebo-controlled, double-blind clinical trial. *Gastrointest Endosc.* 2013 Dec;78(6):842-50.
23. Mizuno S, Nakai Y, Isayama H, Takahara N, Miyabayashi K, Yamamoto K, Kawakubo K, Mohri D, Kogure H, Sasaki T, Yamamoto N, Sasahira N, Hirano K, Tsujino T, Ijichi H, Tateishi K, Tada M, Koike K. Diabetes is a useful diagnostic clue to improve the prognosis of pancreatic cancer. *Pancreatology.* 2013 May-Jun;13(3):285-9.
24. Hamada T, Nakai Y, Isayama H, Togawa O, Kogure H, Kawakubo K, Tsujino T, Sasahira N, Hirano K, Yamamoto N, Ito Y, Sasaki T, Mizuno S, Toda N, Tada M, Koike K. Estimation and comparison of cumulative incidences of biliary self-expandable metallic stent dysfunction accounting for competing risks. *Dig Endosc.* 2014 Mar;26(2):270-5.
25. Hamada T, Isayama H, Nakai Y, Kogure H, Togawa O, Kawakubo K, Yamamoto N, Ito Y, Sasaki T, Tsujino T, Sasahira N, Hirano K, Tada M, Koike K. Novel antireflux covered metal stent for recurrent occlusion of biliary metal stents: a pilot study. *Dig Endosc.* 2014 Mar;26(2):264-9.
26. Nakai Y, Isayama H, Tsujino T, Koike K. Endoscopic papillary balloon dilation versus endoscopic sphincterotomy for bile duct stones: is it time to put a knife down? *Dig Endosc.* 2013 May;25(3):253-4.
27. Hamada T, Tsujino T, Isayama H, Hakuta R, Ito Y, Nakata R, Koike K. Percutaneous transhepatic biliary drainage using a ligated catheter for recurrent catheter obstruction: antireflux technique. *Gut Liver.* 2013 Mar;7(2):255-7.
28. Kogure H, Isayama H, Nakai Y, Tsujino T, Matsubara S, Yashima Y, Ito Y, Hamada T, Takahara N, Miyabayashi K, Mizuno S, Mohri D, Kawakubo K, Sasaki T, Yamamoto N, Hirano K, Sasahira N, Tada M, Koike K. High single-session success rate of endoscopic bilateral stent-in-stent placement with modified large cell Niti-S stents for malignant hilar biliary obstruction. *Dig Endosc.* 2014 Jan;26(1):93-9.

29. Hamada T, Tsujino T, Isayama H, Koike K. Continuous negative pressure can improve endoscopic naso-pancreatic drainage. *Dig Endosc.* 2013 Mar;25(2):206-7.
30. Togawa O, Isayama H, Tsujino T, Nakai Y, Kogure H, Hamada T, Sasaki T, Yashima Y, Yagioka H, Arizumi T, Ito Y, Matsubara S, Yamamoto N, Sasahira N, Hirano K, Toda N, Tada M, Koike K. Management of dysfunctional covered self-expandable metallic stents in patients with malignant distal biliary obstruction. *J Gastroenterol.* 2013 Nov;48(11):1300-7.
31. Sasaki T, Isayama H, Maetani I, Nakai Y, Kogure H, Kawakubo K, Mizuno S, Yagioka H, Matsubara S, Ito Y, Yamamoto N, Sasahira N, Hirano K, Tsujino T, Toda N, Tada M, Koike K. Japanese multicenter estimation of WallFlex duodenal stent for unresectable malignant gastric outlet obstruction. *Dig Endosc.* 2013 Jan;25(1):1-6.
32. Tsujino T, Isayama H, Nakai Y, Ito Y, Togawa O, Toda N, Arizumi T, Kogure H, Yamamoto K, Mizuno S, Yashima Y, Yagioka H, Sasaki T, Matsubara S, Yamamoto N, Hirano K, Sasahira N, Tada M, Koike K. The results of the Tokyo trial of prevention of post-ERCP pancreatitis with risperidone (Tokyo P3R): a multicenter, randomized, phase II, non-placebo-controlled trial. *J Gastroenterol.* 2013 Aug;48(8):982-8.
33. Hamada T, Tsujino T, Isayama H, Koike K. Pseudorandomization using an instrumental variable: a strong tool to break through selection bias. *Gastrointest Endosc.* 2012 Nov;76(5):1079-80.
34. Isayama H, Nakai Y, Kawakubo K, Kogure H, Hamada T, Togawa O, Sasahira N, Hirano K, Tsujino T, Koike K. Endoscopic retrograde cholangiopancreatography for distal malignant biliary stricture. *Gastrointest Endosc Clin N Am.* 2012 Jul;22(3):479-90.
35. Mizuno S, Nakai Y, Isayama H, Yanai A, Takahara N, Miyabayashi K, Yamamoto K, Kawakubo K, Mohri D, Kogure H, Sasaki T, Yamamoto N, Sasahira N, Hirano K, Tsujino T, Ijichi H, Tateishi K, Akanuma M, Tada M, Koike K. Risk factors and early signs of pancreatic cancer in diabetes: screening strategy based on diabetes onset age. *J Gastroenterol.* 2013 Feb;48(2):238-46.

36. Sasaki T, Isayama H, Nakai Y, Togawa O, Kogure H, Kawakubo K, Mizuno S, Yashima Y, Ito Y, Yamamoto N, Sasahira N, Hirano K, Tsujino T, Toda N, Tada M, Omata M, Koike K. Predictive factors of solid food intake in patients with malignant gastric outlet obstruction receiving self-expandable metallic stents for palliation. *Dig Endosc.* 2012 Jul;24(4):226-30.
37. Matsubara S, Tada M, Akahane M, Yagioka H, Kogure H, Sasaki T, Arizumi T, Togawa O, Nakai Y, Sasahira N, Hirano K, Tsujino T, Isayama H, Toda N, Kawabe T, Ohtomo K, Omata M. Incidental pancreatic cysts found by magnetic resonance imaging and their relationship with pancreatic cancer. *Pancreas.* 2012 Nov;41(8):1241-6.
38. Isayama H, Tsujino T, Nakai Y, Sasaki T, Nakagawa K, Yamashita H, Aoki T, Koike K. Clinical benefit of radiation therapy and metallic stenting for unresectable hilar cholangiocarcinoma. *World J Gastroenterol.* 2012 May 21;18(19):2364-70.
39. Nakai Y, Isayama H, Sasaki T, Sasahira N, Tsujino T, Toda N, Kogure H, Matsubara S, Ito Y, Togawa O, Arizumi T, Hirano K, Tada M, Omata M, Koike K. A multicentre randomised phase II trial of gemcitabine alone vs gemcitabine and S-1 combination therapy in advanced pancreatic cancer: GEMSAP study. *Br J Cancer.* 2012 Jun 5;106(12):1934-9.
40. Sasahira N, Isayama H, Kogure H, Tsujino T, Koike K. Endoscopic management with inside stent for proximal benign biliary stricture after laparoscopic cholecystectomy. *Dig Endosc.* 2012 May;24 Suppl 1:59-61.
41. Hamada T, Nakai Y, Isayama H, Togawa O, Kogure H, Kawakubo K, Tsujino T, Sasahira N, Hirano K, Yamamoto N, Ito Y, Sasaki T, Mizuno S, Toda N, Tada M, Koike K. One- and two-step self-expandable metal stent placement for distal malignant biliary obstruction: a propensity analysis. *J Gastroenterol.* 2012 Nov;47(11):1248-56.
42. Kawakubo K, Isayama H, Tsujino T, Nakai Y, Sasahira N, Kogure H, Hamada T, Nagano R, Miyabayashi K, Yamamoto K, Mohri D, Sasaki T, Ito Y, Yamamoto N, Hirano K, Tada M, Koike K. Endoscopic removal of a spontaneously fractured biliary uncovered self-expandable metal stent.

- Dig Endosc. 2012 May;24(3):182-4.
43. Takahara N, Isayama H, Sasaki T, Tsujino T, Toda N, Sasahira N, Mizuno S, Kawakubo K, Kogure H, Yamamoto N, Nakai Y, Hirano K, Tada M, Omata M, Koike K. Endoscopic papillary balloon dilation for bile duct stones in patients on hemodialysis. *J Gastroenterol.* 2012 Aug;47(8):918-23.
  44. Isayama H, Sasaki T, Nakai Y, Togawa O, Kogure H, Sasahira N, Yashima Y, Kawakubo K, Ito Y, Hirano K, Tsujino T, Toda N, Tada M, Omata M, Koike K. Management of malignant gastric outlet obstruction with a modified triple-layer covered metal stent. *Gastrointest Endosc.* 2012 Apr;75(4):757-63.
  45. Kawakubo K, Isayama H, Tsujino T, Sasahira N, Nakai Y, Kogure H, Sasaki T, Yamamoto N, Hirano K, Tada M, Koike K. Endoscopic retrieval of a migrated stent after endoscopic ultrasound-guided choledochoduodenostomy. *Endoscopy.* 2011;43 Suppl 2 UCTN:E370-1. d
  46. Kawakubo K, Isayama H, Nakai Y, Togawa O, Sasahira N, Kogure H, Sasaki T, Matsubara S, Yamamoto N, Hirano K, Tsujino T, Toda N, Tada M, Omata M, Koike K. Risk factors for pancreatitis following transpapillary self-expandable metal stent placement. *Surg Endosc.* 2012 Mar;26(3):771-6.
  47. Yashima Y, Tsujino T, Nakahara S, Ishida K, Nakata R, Isayama H, Koike K. Contrast-enhanced ultrasonographic image of gangrenous gallbladder. *J Med Ultrason (2001).* 2011 Oct;38(4):239.
  48. Kogure H, Tsujino T, Yamamoto K, Mizuno S, Yashima Y, Yagioka H, Kawakubo K, Sasaki T, Nakai Y, Hirano K, Sasahira N, Isayama H, Tada M, Kawabe T, Omata M, Harada S, Ota Y, Koike K. Fever-based antibiotic therapy for acute cholangitis following successful endoscopic biliary drainage. *J Gastroenterol.* 2011 Dec;46(12):1411-7.
  49. Kawakubo K, Isayama H, Tsujino T, Nakai Y, Sasahira N, Kogure H, Sasaki T, Yamamoto N, Hirano K, Tada M, Koike K. Peroral cholangioscopy in a patient with a Billroth II gastrectomy using the SpyGlass Direct Visualization System. *Endoscopy.* 2011;43 Suppl 2 UCTN:E241-2.

50. Kogure H, Miyabayashi K, Tsujino T, Isayama H, Tateishi R, Koike K. Spontaneous dislodgement of a biliary tumor in a patient with hepatocellular carcinoma. *Endoscopy*. 2011;43 Suppl 2 UCTN:E232-3.
51. Yashima Y, Isayama H, Tsujino T, Nagano R, Yamamoto K, Mizuno S, Yagioka H, Kawakubo K, Sasaki T, Kogure H, Nakai Y, Hirano K, Sasahira N, Tada M, Kawabe T, Koike K, Omata M. A large volume of visceral adipose tissue leads to severe acute pancreatitis. *J Gastroenterol*. 2011 Oct;46(10):1213-8.
52. Hamada T, Isayama H, Nakai Y, Togawa O, Kogure H, Kawakubo K, Tsujino T, Sasahira N, Hirano K, Yamamoto N, Arizumi T, Ito Y, Matsubara S, Sasaki T, Yagioka H, Yashima Y, Mohri D, Miyabayashi K, Mizuno S, Nagano R, Takahara N, Toda N, Tada M, Omata M, Koike K. Duodenal invasion is a risk factor for the early dysfunction of biliary metal stents in unresectable pancreatic cancer. *Gastrointest Endosc*. 2011 Sep;74(3):548-55.
53. Hamada T, Tsujino T, Sasahira N, Kogure H, Isayama H, Hirano K, Yamamoto N, Tada M, Koike K. Percutaneous transhepatic cholangioscopy with an ultraslim video upper endoscope with CO(2) insufflation: a feasibility study. *Gastrointest Endosc*. 2011 Sep;74(3):696-9.
54. Kogure H, Isayama H, Kawakubo K, Sasaki T, Yamamoto N, Hirano K, Sasahira N, Tsujino T, Tada M, Koike K. Endoscopic bilateral metallic stenting for malignant hilar obstruction using newly designed stents. *J Hepatobiliary Pancreat Sci*. 2011 Sep;18(5):653-7.
55. Isayama H, Nakai Y, Yamamoto K, Sasaki T, Mizuno S, Yagioka H, Yashima Y, Kawakubo K, Kogure H, Arizumi T, Togawa O, Ito Y, Matsubara S, Yamamoto N, Sasahira N, Hirano K, Tsujino T, Tada M, Omata M, Koike K. Gemcitabine and oxaliplatin combination chemotherapy for patients with refractory pancreatic cancer. *Oncology*. 2011;80(1-2):97-101.
56. Isayama H, Nakai Y, Kawakubo K, Kogure H, Togawa O, Hamada T, Ito Y, Sasaki T, Yamamoto N, Sasahira N, Hirano K, Tsujino T, Tada M, Koike K. Covered metallic stenting for malignant distal biliary



- obstruction: clinical results according to stent type. *J Hepatobiliary Pancreat Sci.* 2011 Sep;18(5):673-7.
57. Isayama H, Nakai Y, Tsujino T, Togawa O, Kogure H, Koike K. Covered biliary metal stent: which are worse--the concepts, current models, or insertion methods? *Gastrointest Endosc.* 2011 Jun;73(6):1329-30; author reply 1330-1.
58. Nakai Y, Isayama H, Tsujino T, Sasahira N, Hirano K, Kogure H, Sasaki T, Kawakubo K, Yagioka H, Yashima Y, Mizuno S, Yamamoto K, Arizumi T, Togawa O, Matsubara S, Yamamoto N, Tada M, Omata M, Koike K. Impact of introduction of wire-guided cannulation in therapeutic biliary endoscopic retrograde cholangiopancreatography. *J Gastroenterol Hepatol.* 2011 Oct;26(10):1552-8.
59. Kawakubo K, Isayama H, Nakai Y, Togawa O, Sasahira N, Kogure H, Sasaki T, Matsubara S, Yamamoto N, Hirano K, Tsujino T, Toda N, Tada M, Omata M, Koike K. Efficacy and safety of covered self-expandable metal stents for management of distal malignant biliary obstruction due to lymph node metastases. *Surg Endosc.* 2011 Sep;25(9):3094-100.
60. Nakai Y, Isayama H, Kawakubo K, Kogure H, Sasaki T, Togawa O, Sasahira N, Hirano K, Tsujino T, Tada M, Omata M, Koike K. Endoscopic removal of a biliary covered metallic stent with the invagination method. *Endoscopy.* 2011;43 Suppl 2 UCTN:E30-1.
61. Nakai Y, Isayama H, Togawa O, Kogure H, Tsujino T, Yagioka H, Yashima Y, Sasaki T, Ito Y, Matsubara S, Hirano K, Sasahira N, Toda N, Tada M, Kawabe T, Omata M, Koike K. New method of covered wallstents for distal malignant biliary obstruction to reduce early stent-related complications based on characteristics. *Dig Endosc.* 2011 Jan;23(1):49-55.
62. Hirano K, Tada M, Isayama H, Kawakubo K, Yagioka H, Sasaki T, Kogure H, Nakai Y, Sasahira N, Tsujino T, Toda N, Koike K. Clinical analysis of high serum IgE in autoimmune pancreatitis. *World J Gastroenterol.* 2010 Nov 7;16(41):5241-6.

63. Nakai Y, Isayama H, Ijichi H, Sasaki T, Sasahira N, Hirano K, Kogure H, Kawakubo K, Yagioka H, Yashima Y, Mizuno S, Yamamoto K, Arizumi T, Togawa O, Matsubara S, Tsujino T, Tateishi K, Tada M, Omata M, Koike K. Inhibition of renin-angiotensin system affects prognosis of advanced pancreatic cancer receiving gemcitabine. *Br J Cancer*. 2010 Nov 23;103(11):1644-8.
64. Sasaki T, Isayama H, Nakai Y, Mizuno S, Yamamoto K, Yagioka H, Yashima Y, Kawakubo K, Kogure H, Togawa O, Matsubara S, Ito Y, Sasahira N, Hirano K, Tsujino T, Toda N, Tada M, Omata M, Koike K. Multicenter phase II study of S-1 monotherapy as second-line chemotherapy for advanced biliary tract cancer refractory to gemcitabine. *Invest New Drugs*. 2012 Apr;30(2):708-13.
65. Yasuda I, Fujita N, Maguchi H, Hasebe O, Igarashi Y, Murakami A, Mukai H, Fujii T, Yamao K, Maeshiro K, Tada T, Tsujino T, Komatsu Y. Long-term outcomes after endoscopic sphincterotomy versus endoscopic papillary balloon dilation for bile duct stones. *Gastrointest Endosc*. 2010 Dec;72(6):1185-91.
66. Yashima Y, Tsujino T, Masuzaki R, Nakai Y, Hirano K, Tateishi R, Sasahira N, Isayama H, Tada M, Yoshida H, Kawabe T, Omata M. Increased liver elasticity in patients with biliary obstruction. *J Gastroenterol*. 2011 Jan;46(1):86-91.
67. Tsujino T, Ito Y, Yoshida H, Ikushima S, Takemura T, Nakata R, Koike K. Duodenal mass in a patient with weight loss and liver dysfunction. Duodenal and liver sarcoidosis. *Gut*. 2011 Dec;60(12):1659-60, 1677.
68. Tsujino T, Yamada A, Isayama H, Kogure H, Sasahira N, Hirano K, Tada M, Kawabe T, Omata M. Experiences of biliary interventions using short double-balloon enteroscopy in patients with Roux-en-Y anastomosis or hepaticojejunostomy. *Dig Endosc*. 2010 Jul;22(3):211-6.
69. Sasaki T, Isayama H, Nakai Y, Mizuno S, Yamamoto K, Yagioka H, Yashima Y, Kawakubo K, Kogure H, Togawa O, Matsubara S, Sasahira N, Hirano K, Tsujino T, Tada M, Omata M, Koike K. Feasibility study of gemcitabine and cisplatin combination chemotherapy for patients with refractory biliary tract cancer. *Invest New Drugs*. 2011

Dec;29(6):1488-93.

70. Kogure H, Isayama H, Nakai Y, Tsujino T, Ito Y, Yamamoto K, Mizuno S, Yagioka H, Kawakubo K, Sasaki T, Hirano K, Sasahira N, Tada M, Omata M, Koike K. Newly designed large cell Niti-S stent for malignant hilar biliary obstruction: a pilot study. *Surg Endosc.* 2011 Feb;25(2):463-7.
71. Nakai Y, Isayama H, Sasaki T, Sasahira N, Tsujino T, Kogure H, Yagioka H, Yashima Y, Togawa O, Arizumi T, Matsubara S, Hirano K, Tada M, Omata M, Koike K. Comorbidity, not age, is prognostic in patients with advanced pancreatic cancer receiving gemcitabine-based chemotherapy. *Crit Rev Oncol Hematol.* 2011 Jun;78(3):252-9.
72. Sasaki T, Isayama H, Nakai Y, Togawa O, Kogure H, Ito Y, Yamamoto K, Mizuno S, Yagioka H, Yashima Y, Kawakubo K, Arizumi T, Matsubara S, Sasahira N, Hirano K, Tsujino T, Toda N, Tada M, Omata M, Koike K. Prognostic factors in patients with advanced biliary tract cancer receiving chemotherapy. *Cancer Chemother Pharmacol.* 2011 Apr;67(4):847-53.
73. Tsujino T, Yoshida H, Isayama H, Ito Y, Yashima Y, Yagioka H, Kogure H, Sasaki T, Arizumi T, Togawa O, Matsubara S, Nakai Y, Sasahira N, Hirano K, Tada M, Kawabe T, Omata M, Koike K. Endoscopic papillary balloon dilation for bile duct stone removal in patients 60 years old or younger. *J Gastroenterol.* 2010 Oct;45(10):1072-9.
74. Nakai Y, Isayama H, Sasaki T, Sasahira N, Ito Y, Kogure H, Togawa O, Matsubara S, Arizumi T, Yagioka H, Yashima Y, Kawakubo K, Mizuno S, Yamamoto K, Hirano K, Tsujino T, Ijichi H, Tateishi K, Toda N, Tada M, Omata M, Koike K. Impact of S-1 on the survival of patients with advanced pancreatic cancer. *Pancreas.* 2010 Oct;39(7):989-93.
75. Nakai Y, Isayama H, Sasaki T, Sasahira N, Kogure H, Hirano K, Tsujino T, Ijichi H, Tateishi K, Tada M, Omata M, Koike K. Impact of S-1 in patients with gemcitabine-refractory pancreatic cancer in Japan. *Jpn J Clin Oncol.* 2010 Aug;40(8):774-80.
76. Tsujino T, Isayama H, Koike K. Preoperative drainage in pancreatic cancer. *N Engl J Med.* 2010 Apr 8;362(14):1343-4; author reply 1346.

77. Hosoi M, Nannya Y, Sasaki T, Suzuki HI, Ueda K, Tsujino T, Isayama H, Takahashi T, Koike K, Kurokawa M. Biliary cast syndrome and benign biliary stricture as complications of allogeneic hematopoietic stem cell transplantation. *Hematol.* 2010 Dec;89(12):1287-9.
78. Mizuno S, Hirano K, Tada M, Yamamoto K, Yashima Y, Yagioka H, Kawakubo K, Ito Y, Kogure H, Sasaki T, Arizumi T, Togawa O, Matsubara S, Nakai Y, Sasahira N, Tsujino T, Isayama H, Kawabe T, Omata M, Koike K. Bezafibrate for the treatment of primary sclerosing cholangitis. *J Gastroenterol.* 2010 Jul;45(7):758-62.
79. Tsujino T, Sasahira N, Hirano K, Tateishi R, Isayama H, Tada M, Shiina S, Yoshida H, Kawabe T, Omata M. Endoscopic management of biliocutaneous fistula after percutaneous radiofrequency ablation therapy for hepatocellular carcinoma. *Dig Endosc.* 2010 Jan;22(1):53-5.
80. Nakai Y, Isayama H, Sasaki T, Sasahira N, Ito Y, Kogure H, Togawa O, Matsubara S, Arizumi T, Yagioka H, Yashima Y, Kawakubo K, Mizuno S, Yamamoto K, Hirano K, Tsujino T, Ijichi H, Toda N, Tada M, Kawabe T, Omata M. A pilot study for combination chemotherapy using gemcitabine and S-1 for advanced pancreatic cancer. *Oncology.* 2009;77(5):300-3.
81. Hirano K, Tada M, Isayama H, Yamamoto K, Mizuno S, Yagioka H, Yashima Y, Sasaki T, Kogure H, Togawa O, Arizumi T, Matsubara S, Nakai Y, Sasahira N, Tsujino T, Kawabe T, Omata M. Endoscopic evaluation of factors contributing to intrapancreatic biliary stricture in autoimmune pancreatitis. *Gastrointest Endosc.* 2010 Jan;71(1):85-90.
82. Tsujino T, Sugawara Y, Omata M. Management of biliary strictures after living donor liver transplantation. *Gastrointest Endosc.* 2009 Sep;70(3):599-600; author reply 600-1.
83. Sasaki T, Isayama H, Nakai Y, Ito Y, Kogure H, Togawa O, Toda N, Yasuda I, Hasebe O, Maetani I, Sasahira N, Hirano K, Tsujino T, Tada M, Omata M. Multicenter, phase II study of gemcitabine and S-1 combination chemotherapy in patients with advanced biliary tract cancer. *Cancer Chemother Pharmacol.* 2010 May;65(6):1101-7.
84. Sasaki T, Isayama H, Yashima Y, Yagioka H, Kogure H, Arizumi T,

- Togawa O, Matsubara S, Ito Y, Nakai Y, Sasahira N, Hirano K, Tsujino T, Tada M, Kawabe T, Omata M. S-1 monotherapy in patients with advanced biliary tract cancer. *Oncology*. 2009;77(1):71-4.
85. Isayama H, Nakai Y, Togawa O, Kogure H, Ito Y, Sasaki T, Sasahira N, Hirano K, Tsujino T, Tada M, Kawabe T, Omata M. Covered metallic stents in the management of malignant and benign pancreatobiliary strictures. *J Hepatobiliary Pancreat Surg*. 2009;16(5):624-7.
86. Hirano K, Tada M, Sasahira N, Tsujino T, Isayama H, Kawabe T, Omata M. Are all pancreatic lesions responsive to steroid therapy [corrected] autoimmune pancreatitis? *Gut*. 2009 Jul;58(7):1031-2; author reply 1032.
87. Isayama H, Kawabe T, Nakai Y, Ito Y, Togawa O, Kogure H, Yashima Y, Yagioka H, Matsubara S, Sasaki T, Sasahira N, Hirano K, Tsujino T, Tada M, Omata M. Management of distal malignant biliary obstruction with the ComVi stent, a new covered metallic stent. *Surg Endosc*. 2010 Jan;24(1):131-7.
88. Hirano K, Asaoka Y, Tada M, Isayama H, Sasahira N, Tsujino T, Kawabe T, Omata M. No significant relation between relapse of autoimmune pancreatitis and substitution of aspartic acid at position 57 of DQbeta1. *J Gastroenterol*. 2009;44(7):799-800.
89. Hirano K, Fukushima N, Tada M, Isayama H, Mizuno S, Yamamoto K, Yashima Y, Yagioka H, Sasaki T, Kogure H, Nakai Y, Sasahira N, Tsujino T, Kawabe T, Fukayama M, Omata M. Diagnostic utility of biopsy specimens for autoimmune pancreatitis. *J Gastroenterol*. 2009;44(7):765-73.
90. Tsujino T, Kawabe T, Isayama H, Yashima Y, Yagioka H, Kogure H, Sasaki T, Arizumi T, Togawa O, Ito Y, Matsubara S, Nakai Y, Sasahira N, Hirano K, Tada M, Omata M. Management of late biliary complications in patients with gallbladder stones in situ after endoscopic papillary balloon dilation. *Eur J Gastroenterol Hepatol*. 2009 Apr;21(4):466-70.
91. Isayama H, Yamamoto K, Mizuno S, Yashima Y, Togawa O, Kogure H, Sasaki T, Sasahira N, Nakai Y, Hirano K, Tsujino T, Tada M, Kawabe T,

- Omata M. NOTES and endoscopic pancreatic necrosectomy for the GI endoscopist. *J Hepatobiliary Pancreat Surg.* 2009;16(3):270-3.
92. Tsujino T, Kawabe T, Isayama H, Yashima Y, Yagioka H, Kogure H, Sasaki T, Arizumi T, Togawa O, Ito Y, Matsubara S, Nakai Y, Sasashira N, Hirano K, Tada M, Omata M. Management of late biliary complications in patients with gallbladder stones in situ after endoscopic papillary balloon dilation. *Eur J Gastroenterol Hepatol.* 2009 Apr;21(4):376-80.
93. Isayama H, Nakai Y, Toyokawa Y, Togawa O, Gon C, Ito Y, Yashima Y, Yagioka H, Kogure H, Sasaki T, Arizumi T, Matsubara S, Yamamoto N, Sasahira N, Hirano K, Tsujino T, Toda N, Tada M, Kawabe T, Omata M. Measurement of radial and axial forces of biliary self-expandable metallic stents. *Gastrointest Endosc.* 2009 Jul;70(1):37-44.
94. Tsujino T, Kogure H, Sasahira N, Isayama H, Tada M, Kawabe T, Omata M, Akahane M, Sano K, Makuuchi M. A huge intra-abdominal mass in a young man. *BMJ Case Rep.* 2009;2009:bcr2006102814.
95. Nakai Y, Isayama H, Kawabe T, Tsujino T, Yoshida H, Sasaki T, Tada M, Arizumi T, Yagioka H, Kogure H, Togawa O, Ito Y, Matsubara S, Hirano K, Sasahira N, Omata M. Efficacy and safety of metallic stents in patients with unresectable pancreatic cancer receiving gemcitabine. *Pancreas.* 2008 Nov;37(4):405-10.
96. Hirano K, Tada M, Isayama H, Yashima Y, Yagioka H, Sasaki T, Kogure H, Togawa O, Arizumi T, Matsubara S, Nakai Y, Sasahira N, Tsujino T, Kawabe T, Omata M. Clinical features of primary sclerosing cholangitis with onset age above 50 years. *J Gastroenterol.* 2008;43(9):729-33.
97. Nakai Y, Kawabe T, Isayama H, Sasaki T, Yagioka H, Yashima Y, Kogure H, Arizumi T, Togawa O, Ito Y, Matsubara S, Hirano K, Sasahira N, Tsujino T, Tada M, Omata M. CA 19-9 response as an early indicator of the effectiveness of gemcitabine in patients with advanced pancreatic cancer. *Oncology.* 2008;75(1-2):120-6.
98. Ito Y, Tsujino T, Togawa O, Yamamoto N, Isayama H, Nakata R, Kawabe T, Omata M. Endoscopic papillary balloon dilation for the management of bile duct stones in patients 85 years of age and older.

- Gastrointest Endosc. 2008;68(3):477-82.
99. Kondo S, Yamamoto N, Nakai Y, Sasahira N, Hirano K, Tsujino T, Isayama H, Toda N, Komatsu Y, Tada M, Yoshida H, Kawabe T, Otomo K, Omata M. Preservation of papillary relaxation after endoscopic papillary balloon dilation. *Hepatogastroenterology*. 2008 May-Jun;55(84):855-8.
  100. Tada M, Arizumi T, Nakai Y, Sasaki T, Kogure H, Togawa O, Matsubara S, Tsujino T, Hirano K, Sasahira N, Isayama H, Kawabe T, Omata M. Efficacy of gemcitabine for locally advanced pancreatic cancer: comparison with 5-fluorouracil-based chemoradiotherapy. *Chemotherapy*. 2008;54(4):302-8.
  101. Nakai Y, Isayama H, Tsujino T, Kawabe T, Yashima Y, Yagioka H, Kogure H, Sasaki T, Togawa O, Arizumi T, Ito Y, Matsubara S, Hirano K, Sasahira N, Tada M, Omata M. Intraductal US in the assessment of tumor involvement to the orifice of the cystic duct by malignant biliary obstruction. *Gastrointest Endosc*. 2008 Jul;68(1):78-83.
  102. Togawa O, Kawabe T, Isayama H, Nakai Y, Sasaki T, Arizumi T, Matsubara S, Ito Y, Yamamoto N, Sasahira N, Hirano K, Tsujino T, Toda N, Tada M, Yoshida H, Omata M. Management of occluded uncovered metallic stents in patients with malignant distal biliary obstructions using covered metallic stents. *J Clin Gastroenterol*. 2008 May-Jun;42(5):546-9.
  103. Tsujino T, Isayama H, Tada M, Sugawara Y, Kawabe T, Omata M. Intraductal US in biliary cast after living donor liver transplantation (with video). *Gastrointest Endosc*. 2008 Mar;67(3):540-1.
  104. Tsujino T, Kawabe T, Isayama H, Sasaki T, Kogure H, Togawa O, Arizumi T, Ito Y, Matsubara S, Yamamoto N, Nakai Y, Sasahira N, Hirano K, Toda N, Komatsu Y, Tada M, Yoshida H, Omata M. Efficacy and safety of low-pressured and short-time dilation in endoscopic papillary balloon dilation for bile duct stone removal. *J Gastroenterol Hepatol*. 2008 Jun;23(6):867-71.
  105. Matsubara S, Arizumi T, Togawa O, Sasaki T, Yamamoto N, Nakai Y, Sasahira N, Hirano K, Tsujino T, Isayama H, Toda N, Tada M, Kawabe

- T, Omata M. Endoscopic transpapillary approach to the gallbladder for diagnosing gallbladder cancer. *Can J Gastroenterol*. 2007 Dec;21(12):809-13.
106. Tsujino T, Kogure H, Sasahira N, Isayama H, Tada M, Kawabe T, Omata M, Akahane M, Sano K, Makuuchi M. A huge intra-abdominal mass in a young man. *Gut*. 2007 Oct;56(10):1372, 1393.
107. Kogure H, Tsujino T, Yagioka H, Sasaki T, Nakai Y, Hirano K, Sasahira N, Isayama H, Tada M, Kawabe T, Omata M. Self-expandable metallic stents for malignant biliary obstruction with an anomalous pancreaticobiliary junction. *Surg Endosc*. 2008 Mar;22(3):787-91.
108. Tsujino T, Kawabe T, Omata M. Antiproteases in preventing post-ERCP acute pancreatitis. *JOP*. 2007 Jul 9;8(4 Suppl):509-17. Review.
109. Tsujino T, Sugawara Y, Kawabe T, Makuuchi M, Omata M. Foreign body (suture thread) in the bile duct after living donor liver transplantation. *Liver Transpl*. 2007 Jul;13(7):1065-6.
110. Tsujino T, Sugita R, Yoshida H, Yagioka H, Kogure H, Sasaki T, Nakai Y, Sasahira N, Hirano K, Isayama H, Tada M, Kawabe T, Omata M. Risk factors for acute suppurative cholangitis caused by bile duct stones. *Eur J Gastroenterol Hepatol*. 2007 Jul;19(7):585-8.
111. Hirano K, Tada M, Isayama H, Yagioka H, Sasaki T, Kogure H, Nakai Y, Sasahira N, Tsujino T, Yoshida H, Kawabe T, Omata M. Long-term prognosis of autoimmune pancreatitis with and without corticosteroid treatment. *Gut*. 2007 Dec;56(12):1719-24.
112. Nakai Y, Tsujino T, Kawabe T, Kogure H, Sasaki T, Yamamoto N, Sasahira N, Isayama H, Tada M, Omata M. Pancreatic tuberculosis with a pancreaticobiliary fistula. *Dig Dis Sci*. 2007 May;52(5):1225-8. Epub 2007 Mar 20.
113. Sasahira N, Tada M, Isayama H, Hirano K, Nakai Y, Yamamoto N, Tsujino T, Toda N, Komatsu Y, Yoshida H, Kawabe T, Omata M. Outcomes after clearance of pancreatic stones with or without pancreatic stenting. *J Gastroenterol*. 2007
114. Tsujino T, Kawabe T, Komatsu Y, Yoshida H, Isayama H, Sasaki T, Kogure H, Togawa O, Arizumi T, Matsubara S, Ito Y, Nakai Y,



- Yamamoto N, Sasahira N, Hirano K, Toda N, Tada M, Omata M. Endoscopic papillary balloon dilation for bile duct stone: immediate and long-term outcomes in 1000 patients. *Clin Gastroenterol Hepatol*. 2007 Jan;5(1):130-7.
115. Tada M, Kawabe T, Arizumi M, Togawa O, Matsubara S, Yamamoto N, Nakai Y, Sasahira N, Hirano K, Tsujino T, Tateishi K, Isayama H, Toda N, Yoshida H, Omata M. Pancreatic cancer in patients with pancreatic cystic lesions: a prospective study in 197 patients. *Clin Gastroenterol Hepatol*. 2006 Oct;4(10):1265-70.
116. Tsujino T, Isayama H, Sugawara Y, Sasaki T, Kogure H, Nakai Y, Yamamoto N, Sasahira N, Yamashiki N, Tada M, Yoshida H, Kokudo N, Kawabe T, Makuuchi M, Omata M. Endoscopic management of biliary complications after adult living donor liver transplantation. *Am J Gastroenterol*. 2006 Oct;101(10):2230-6.
117. Yamamoto N, Nakai Y, Sasahira N, Hirano K, Tsujino T, Isayama H, Komatsu Y, Tada M, Yoshida H, Kawabe T, Hiki N, Kaminishi M, Kurosaka H, Omata M. Efficacy of peppermint oil as an antispasmodic during endoscopic retrograde cholangiopancreatography. *J Gastroenterol Hepatol*. 2006 Sep;21(9):1394-8.
118. Isayama H, Kawabe T, Nakai Y, Tsujino T, Sasahira N, Yamamoto N, Arizumi T, Togawa O, Matsubara S, Ito Y, Sasaki T, Hirano K, Toda N, Komatsu Y, Tada M, Yoshida H, Omata M. Cholecystitis after metallic stent placement in patients with malignant distal biliary obstruction. *Clin Gastroenterol Hepatol*. 2006 Sep;4(9):1148-53.
119. Hirano K, Kawabe T, Yamamoto N, Nakai Y, Sasahira N, Tsujino T, Toda N, Isayama H, Tada M, Omata M. Serum IgG4 concentrations in pancreatic and biliary diseases. *Clin Chim Acta*. 2006 May;367(1-2):181-4.
120. Hirano K, Kawabe T, Komatsu Y, Matsubara S, Togawa O, Arizumi T, Yamamoto N, Nakai Y, Sasahira N, Tsujino T, Toda N, Isayama H, Tada M, Omata M. High-rate pulmonary involvement in autoimmune pancreatitis. *Intern Med J*. 2006 Jan;36(1):58-61.
121. Tsujino T, Komatsu Y, Isayama H, Hirano K, Sasahira N, Yamamoto N,

- Toda N, Ito Y, Nakai Y, Tada M, Matsumura M, Yoshida H, Kawabe T, Shiratori Y, Omata M. Ulinastatin for pancreatitis after endoscopic retrograde cholangiopancreatography: a randomized, controlled trial. *Clin Gastroenterol Hepatol*. 2005 Apr;3(4):376-83.
122. Isayama H, Kawabe T, Komatsu Y, Sasahira N, Toda N, Tada M, Nakai Y, Yamamoto N, Hirano K, Tsujino T, Yoshida H, Omata M. Successful treatment for groove pancreatitis by endoscopic drainage via the minor papilla. *Gastrointest Endosc*. 2005 Jan;61(1):175-8.
123. Tsujino T, Isayama H, Komatsu Y, Ito Y, Tada M, Minagawa N, Nakata R, Kawabe T, Omata M. Risk factors for pancreatitis in patients with common bile duct stones managed by endoscopic papillary balloon dilation. *Am J Gastroenterol*. 2005 Jan;100(1):38-42.
124. Isayama H, Komatsu Y, Tsujino T, Sasahira N, Hirano K, Toda N, Nakai Y, Yamamoto N, Tada M, Yoshida H, Shiratori Y, Kawabe T, Omata M. A prospective randomised study of "covered" versus "uncovered" diamond stents for the management of distal malignant biliary obstruction. *Gut*. 2004 May;53(5):729-34.
125. Hirano K, Shiratori Y, Komatsu Y, Yamamoto N, Sasahira N, Toda N, Isayama H, Tada M, Tsujino T, Nakata R, Kawase T, Katamoto T, Kawabe T, Omata M. Involvement of the biliary system in autoimmune pancreatitis: a follow-up study. *Clin Gastroenterol Hepatol*. 2003 Nov;1(6):453-64.
126. Fujiwara M, Besshi K, Takemura T, Ito Y, Tsujino T, Yamagata M, Minagawa N, Nakata R, Yoshitsugu M, Kato Y, Ihori M, Okayasu I, Senoo H, Wake K. Periportal Stellate Cells in Subjects with Chronic Hepatitis C with a Varied Serum Alanine Aminotransferase Level. *Comp Hepatol*. 2004 Jan 14;3 Suppl 1:S15.
127. Isayama H, Komatsu Y, Inoue Y, Toda N, Shiratori Y, Tsujino T, Yamada H, Saitou K, Kawabe T, Omata M. Preserved function of the Oddi sphincter after endoscopic papillary balloon dilation. *Hepatogastroenterology*. 2003 Nov-Dec;50(54):1787-91.
128. Isayama H, Komatsu Y, Tsujino T, Yoshida H, Tada M, Shiratori Y, Kawabe T, Omata M. Polyurethane-covered metal stent for

management of distal malignant biliary obstruction. *Gastrointest Endosc.* 2002 Mar;55(3):366-70.

129. Komatsu Y, Toda N, Isayama H, Tsujino T, Tateishi K, Yamagata M, Ohashi M, Tada M, Yoshida H, Shiratori Y, Kawabe T, Omata M. Washout of small stones in the bile duct by saline infusion using a side-holed balloon catheter in patients undergoing endoscopic papillary balloon dilation. *Gastrointest Endosc.* 1999 Jan;49(1):101-4.